

We Claim:

## 1. A computer, comprising:

a plurality of PC components, each one of said plurality of PC components attached to a plurality of retaining bars;

a case including a front side clad with a front panel, said front panel formed with a plurality of openings, each one of said plurality of openings for receiving a respective one of said plurality of PC components attached to said plurality of retaining bars; and

a cage for fixing said plurality of PC components.

## 2. The computer according to claim 1, wherein:

each one of said plurality of retaining bars has an end pointing toward said front side of said case; and

said end of each one of said plurality of retaining bars has a lid for covering one of said plurality of openings in said front panel.

## 3. The computer according to claim 2, wherein:

said front panel is formed with a second plurality of openings;

said lid includes a plurality of fixing tabs projecting towards said front panel; and

said plurality of fixing tabs are configured for being inserted into said second plurality of openings in said front panel when said plurality of PC components are being mounted.

4. The computer according to claim 3, wherein:

said plurality of PC components are formed with a plurality of lateral standard threaded boreholes;

said plurality of retaining bars include a plurality of tabs projecting towards said plurality of PC components; and

each one of said plurality of tabs is pushed into a respective one of said plurality of lateral standard threaded boreholes when said plurality of PC components are being mounted.

5. The computer according to claim 1, wherein:

said cage includes a plurality of counterlatches; and

each one of said plurality of retaining bars includes a latch hook for interacting with a corresponding one of said plurality of counterlatches of said cage when said plurality of PC components are being mounted.

6. The computer according to claim 1, wherein:

said case has a broad side;

said case is formed with an interior; and

said interior of said case is accessible only from said front side and said broad side of said case.